



Case

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the patent of:

Attorney Docket No. 1915.24US03

Morris et al.

Confirmation No.: 1767

Patent No.: 6,913,530

Application No.: 10/636,178

Issued: July 5, 2005

Filed: August 7, 2003

For: PRECIPITATION RESISTANT RIDGE VENT

REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

It is respectfully requested that a Certificate of Correction be issued to correct the errors specified in the attached duplicate copies of Certificate of Correction Form PTO-1050.


A check in the amount of One Hundred Dollars (\$100.00) is attached in accordance with the provisions of 37 C.F.R. § 1.323. Please charge any additional fees due or credit any overpayment to Deposit Account No. 16-0631 as needed to ensure prompt issuance of a Certificate of Correction.

Respectfully submitted,

07/26/2005 SFELEKE1 00000015 6913530

01 FC:1811

100.00 DP

  
James H. Patterson  
Registration No. 30,673


Certificate  
JUL 29 2005  
of Correction

Customer No. 24113  
Patterson, Thunte, Skaar & Christensen, P.A.  
4800 IDS Center  
80 South 8th Street  
Minneapolis, Minnesota 55402-2100  
Telephone: (612) 349-5741

CERTIFICATE OF MAILING

I hereby certify that this document is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on

07/05/21  
Date of Deposit

  
James H. Patterson

JUL 29 2005

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO :6,913,530  
DATED :July 5, 2005  
INVENTOR(S) :Morris et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 1:

Line 27, delete "reduce" and insert --reduced--.

Column 4:

Line 10, after "view" insert --of--.

Line 12, after "view" insert --of--.

Column 5:

Line 35, delete "desire" and insert --desired--.

Column 7:

Line 40, delete "rig".

Column 8:

Line 9, delete "airflow" and insert --air flow--.

Line 57, delete "par" and insert --pair--.

MAILING ADDRESS OF SENDER:  
Customer No. 24113  
James H. Patterson  
PATTERSON, THUENTE, SKAAR & CHRISTENSEN, P.A.  
4800 IDS CENTER  
80 SOUTH EIGHTH STREET  
MINNEAPOLIS, MN 55402-2100

PATENT NO. 6,913,530

No. of additional copies \_\_\_\_\_

Burden Hour Statement. This form is estimated to take 1.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

JUL 29 2005